

REFEREED PUBLICATIONS

current to October, 2009

most recent papers are downloadable from
<<http://www.rsc.org/chemistryworld/News/2009/January/15010902.asp>>

- T. Castle, Myfanwy E. Evans and S. T. Hyde, “All toroidal embeddings of polyhedral graphs in 3-space are chiral”, **New J. Chem.**, 2009, 33, 2107 - 2113 (2009).
- Stephen T. Hyde, Liliana de Campo and Christophe Oguey, “Tricontinuous mesophases of balanced three-arm ‘star polyphiles’”, **Soft Matter**, 5, 2782–2794, (2009). DOI: 10.1039/b822814k
- Jacob Judas Kain Kirkensgaard and Stephen T. Hyde, “Beyond amphiphiles: Coarse-grained simulations of star-polyphile liquid crystalline assemblies”, **Phys. Chem. Chem. Phys.**, 11, 2016 - 2022, (2009).
- Juan Manuel García-Ruiz, Emilio Melero-García, Stephen T. Hyde, “Morphogenetical mechanisms in self-assembled nanocrystalline materials of barium carbonate and silica”, **Science**, 323, 362- 365 (2009). doi: 10.1126/science.1165349. [See also, “Beyond Biomineralization”, **Science**, 323, 344-345 (2009); <http://www.rsc.org/chemistryworld/News/2009/January/15010902.asp>; <http://news.nationalgeographic.com/news/2009/01/photogalleries/curvycrystals/index.html>
- Matthias Kellermeier, Fabian Glaab, Anna M. Carnerup, Markus Drechsler, Benjamin Gossler, Stephen T. Hyde, and Werner Kunz, “Additive-induced morphological tuning of self-assembled silica-barium carbonate crystal aggregates”, **Cryst Growth Design**, doi:10.1016/j.jcrysgro.2009.02.044, (2009).
- S.J. Ramsden, V. Robins and Stephen Hyde, "3D euclidean nets from 2D hyperbolic tilings: Kaleidoscopic examples", **Acta Crystallogr. A**, A65, 81-108 (2009) [*Lead Article.*]
- Stephen T. Hyde, Michael O’Keeffe and Davide M. Proserpio, "A short history of an elusive yet ubiquitous structure in chemistry, materials and mathematics", **Angew. Chemie Int. Ed.**, 47,

7996-8000 (2008). <http://dx.doi.org/10.1002/anie.200801519> [See also comments in **Nature Materials**, November 2008, “A twisted tale”, Phillip Ball. doi:10.1038/nmat2307]

•(Stephen T. Hyde, Michael O’Keeffe and Davide M. Proserpio, "Netze und Gyroide : wenig bekannt und doch in Chemie, Materialwissenschaften und Mathematik allgegenwärtig", **Angew. Chemie**, 120, 8116-8121 (2008).)

•Toen Castle, Myfanwy E. Evans and S.T Hyde, “Ravels: Knot-free but not free. Novel entanglements of graphs in 3-space”, **New J Chem**, 32, 1484-1492 (2008). doi:10.1039/b719665b [Selected as a *Hot Article* <http://www.rsc.org/Publishing/Journals/nj/Hotarticles/B719665B_Hyde.asp> and cover image.]

•Zakaria A. Almsherqi, Stephen T. Hyde, Malarmathy Ramachandran, Yuru Deng, “Cubic membranes: a structure-based design for DNA uptake”, **J. R. Soc. Interface**, 5, 1023-1029 (2008).doi:10.1098/rsif.2007.1351

•Alina E. Voinescu, Matthias Kellermeier, Anna M. Carnerup, Ann-Kristin Larsson, Didier Touraud, Werner Kunz, Lorenz Kienle, Arno Pfitzner and Stephen T. Hyde and, “Inorganic Self-organized silica aragonite biomorphic composites”, **Cryst Growth Design**, 8, 1515-1521 (2008).

•A.-K Larsson, A. M. Carnerup, S. T. Hyde and J.D. Fitz Gerald, “Crystallography of Biomimetic Silica Carbonate Precipitates, **Proceedings Wagga Condensed Matter Conference 2007**, 3 pages. available at <http://www.aip.org.au/wagga2007/2007_11.pdf>.

•G.E. Schröder-Turk, A. Fogden and S.T.Hyde, ” Local v/a variations as a measure of structural packing frustration in bicontinuous mesophases, and geometric arguments for an alternating Im $\bar{3}m$ (I-WP) phase in block-copolymers with polydispersity”, **Eur. Phys. J.**, B59, 115-126 (2007) Available on-line at <http://www.edpsciences.org/10.1140/epjb/e2007-00272-6>

- Alina E. Voinescu, Matthias Kellermeier, Anna M. Carnerup, Ann-Kristin Larsson, Didier Touraud, Stephen T. Hyde and W. Kunz, “Co-precipitation of silica and alkaline-earth carbonates using TEOS as silica source”, **J Cryst Growth**, 306 152-158 (2007). Available on-line at <http://dx.doi.org/10.1016/j.jcrysgro.2007.03.060>.
- S.T. Hyde and G.E. Schröder-Turk, “Tangled (up in) Cubes”, **Acta Cryst A** 63 186-197 (2007).
- G.E. Schröder, A. Fogden and S.T. Hyde, “Bicontinuous geometries and molecular self-assembly: Comparison of local curvature and global packing variation in genus-three cubic, tetragonal and rhombohedral surfaces”, **Eur Phys J B**, 54 509-524 (2006).
- S.T. Hyde, O. Delgado Friedrichs, S.J. Ramsden and V. Robins, “Towards enumeration of crystalline frameworks: the 2D hyperbolic approach”, **Solid State Sciences** 8 740-752 (2006).
- V. Robins, S.J. Ramsden and S.T. Hyde, “A note on the two symmetry-preserving covering maps of the Gyroid minimal surface”, **Eur Phys J B** 48 107-111 (2005).
- T. Di Matteo, T. Aste, S. T. Hyde and S. Ramsden, "Interest rates hierarchical structure", **Physica A** 355, 21-33 (2005).
- T. Aste, T. Di Matteo and S.T. Hyde, “Complex networks on hyperbolic surfaces “, **Physica A**, 346, 20-26 (2005).
- A. V. Rode, E. G. Gamaly, A. G. Christy, J. G. Fitz Gerald, S. T. Hyde, R. G. Elliman, B. Luther-Davies, A. I. Veinger, J. Androulakis, J. Giapintzakis, “Unconventional magnetism in all-carbon nanofoam”, **Phys Rev B**, 70, 054407 (2004); *also available at LANL archive (/cond-mat/0310751)*.
[See also comments in **Nature Science Update**, March 2004, <www.nature.com/nsu/040322/040322-5.html>; **Physics News Update** (American Institute of Physics), No. 678, May 26 (2004); **Physics Today**, p. 9, March (2004); **Physics World**, p. 3, May (2004). Listed as a Top

Physics Story for 2004 by the American Institute of Physics, Physics News electronic update, Dec. 2 2004]

- Vanessa Robins, Stuart Ramsden, Stephen Hyde, "Symmetry groups and reticulations of the hexagonal H surface", **Physica A**, 339, 173-180 (2004).
- V. Robins, S.J. Ramsden and S.T. Hyde, "2D hyperbolic groups induce euclidean reticulations of cubic symmetry", **Eur Phys J B**, 39, 365-375, (2004); DOI: 10.1140/epjb/e2004-00202-2.
- G. Schroeder, S.J. Ramsden, A. Fogden and S.T. Hyde, "A rhombohedral family of minimal surfaces as a pathway between the P and D cubic mesophases", **Physica A**, 339, 137-144, (2004).
- S.T. Hyde, A Carnerup, A-K Larsson, A Christy, J-M García Ruiz, "Self-assembly of carbonate-silica colloids: between living and non-living form", **Physica A**, 339, 24-33 (2004).
- M. Olla, A. Semmler, M. Monduzzi and S.T. Hyde, "From Monolayers to Bilayers: Mesostructural Evolution in DDAB/water/tetradecane microemulsions ", **J Phys Chem B**, 108, 12833-12841 (2004); DOI: [10.1021/jp037961v](https://doi.org/10.1021/jp037961v) [Cover image.]
- S.T. Hyde and J.M. García Ruiz, "Complex materials from simple chemistry: biomorphs and biomaterials", **L'Actualité Chimique**, no. 275, mai , 4-6, (2004). [See also comments in **L'Actualité Chimique**, janvier, 19-23, (2004).]
- T. Di Matteo, T. Aste and S. T. Hyde, "Exchanges in complex networks: income and wealth distributions", in *The Physics of Complex Systems (New advances and Perspectives)* edited by F. Mallamace and H. E. Stanley, Proceedings of the International School of Physics "Enrico Fermi", (IOS Press, Amsterdam 2004) p. 435-442; also available at the LANL arXiv (cond-mat/0310544).
- J.M. García Ruiz, S.T. Hyde, A.M. Carnerup, A.G. Christy, M.J. Van Kranendonk and N.J. Welham, "Self-assembled silica-carbonate structures and implications for detection of ancient

microfossils”, **Science**, 302, 1194-1197, (2003); [See also comments in **Science**, 302, 1134 (2003); **Chemical & Engineering News**, 81 (46), November 17, p. 58 (2003); **New Scientist**, 22 November, 14-15, (2003); **Australasian Science**, 25, 5 (2004).]

•G. E. Schröder, S.J. Ramsden, A.G. Christy and S.T. Hyde, “Medial Surfaces of Hyperbolic Structures”, **Eur. Phys. J. B**, 35, 551-564, (2003).

•Stephen T. Hyde, Ann-Kristin Larsson, Tiziana Di Matteo, Stuart Ramsden and Vanessa Robins, “Meditation on an Engraving of Fricke and Klein (The Modular Group and Geometrical Chemistry)”, **Aust. J. Chem.**, 56, 981-1000, (2003).

•S.T. Hyde and G.E. Schröder, “Novel surfactant mesostructural topologies: Between lamellar and columnar forms”, **Curr. Opinion Coll. Interf. Sci.**, 8, 5-14, (2003).

•S.T. Hyde and S. Ramsden, "Some novel three-dimensional euclidean crystalline networks derived from two-dimensional hyperbolic tilings". **Eur. Phys. J. B**, 31, 273—284, (2003).

•S.T. Hyde, S. Ramsden, T. Di Matteo and J. Longdell, "Ab-initio construction of some crystalline 3D euclidean networks", **Solid State Sciences**, 5, 35-45, (2003).

•J.M. García Ruiz, A. Carnerup, A.G. Christy, N.J. Welham and S.T. Hyde, “Morphology: An ambiguous indicator of biogenicity”. **Astrobiology**, 2, 335-351 (2002).

•Fiona C. Meldrum and S. T. Hyde, “Morphological influence of magnesium and organic additives on the precipitation of calcite”, **J. Cryst. Growth**, 231, 544-558 (2001).

•Banglin Chen, M. Eddaoudi, S.T. Hyde, M. O’Keeffe and O.M. Yaghi, “Interwoven metal-organic framework on a periodic minimal surface with extra-large pores”, **Science**, 291, 1021-994 (2001).

[See also comment in **Science**, 291, 994-995, (2001).]

- S.T. Hyde and C. Oguey, “Hyperbolic 2D forests and euclidean entangled thickets”, **Eur. Phys. J. B**, 16, 613-630 (2000).
- S.T. Hyde and S. Ramsden, “Polycontinuous morphologies and interwoven helical networks”, **Europhys. Lett.**, 50, 135-141, (2000).
- S.T. Hyde and S. Ramsden, “Chemical frameworks and hyperbolic tilings”, **DIMACS Series in Discrete Mathematics and Theoretical Computer Science**, vol. 51, "Discrete Mathematical Chemistry", Pierre Hansen, Patrick Fowler and Maolin Zheng (eds), 203-224 (2000).
- A. Rode, S.T. Hyde, E.G. Gamaly, R.G. Elliman, D.R. McKenzie and S. Bulcock, “Structural analysis of a carbon foam formed by high pulse-rate laser ablation”, **Appl. Phys. A**, 69 (Suppl), S755-S758 (1999).
- S.T. Hyde, “Sponges”, pp. 437-470 in **Foams and Emulsions**, J.F. Sadoc and N. Rivier (eds.), NATO ASI Series, vol. E354, Kluwer Academic Publishers, Dordrecht (1999).
- A. Fogden and S. T. Hyde, “Continuous transformations of cubic minimal surfaces”, **Eur. Phys. J. B**, 7, 91-104 (1999).
- M. O’Keeffe and S.T. Hyde, “Vertex symbols for zeolite nets”, **Microporous Mesoporous Mat.**, 25, 231-233, (1998).
- Y. Nishikawa, H. Jinnai, T. Koga, T. Hashimoto and S.T. Hyde, “Measurements of interfacial curvatures of bicontinuous structure from three-dimensional digital images. 1. A parallel surface method”, **Langmuir**, 14, 1242-1249, (1998).
- S.T. Hyde, “Boxing Partula”, **Forma**, 13, 145-178 (1998).

- S. T. Hyde and A. Fogden, “Hexagonal phases: honeycomb, froth, mesh or sponge?”, **Prog. Colloid Polym. Sci.**, 108, 139-152, (1998).
- M. O’Keeffe and S.T. Hyde, “Vertex symbols for nets”, **Zeolites**, 19, 370-374, (1997).
- H. Jinnai, T. Koga, Y. Nishikawa, T. Hashimoto and S.T. Hyde, “Curvature determination of interfaces in spinodally phase-separated structures of a polymer blend”, **Phys. Rev. Lett.**, 78, 2248-2251, (1997).
- S.T. Hyde, “Swelling and structure. Analysis of the topology and geometry of lamellar and sponge lyotropic mesophases”, **Langmuir**, 13, 842-851, (1997).
- S.T. Hyde, “Topological transformations mediated by bilayer punctures: From sponge phases to bicontinuous monolayers and reversed sponges”, **Colloids Surf A**, 129-130, 207-225, (1997).
- R. Corkery and S.T. Hyde, “On the swelling of amphiphiles in water”, **Langmuir**, 12, 5528-5529, (1996).
- S.T. Hyde, “Bicontinuous structure in lyotropic liquid crystals and crystalline hyperbolic surfaces”, **Curr. Opinion Solid State Mat. Sci.**, 1, 653-662 (1996).
- H. Hasegawa, T. Hashimoto and S.T. Hyde, “Microdomain structures with hyperbolic interfaces in block and graft copolymer systems”, **Polymer**, 37, 3825-3833, (1996).
- S.T. Hyde and M. O’Keeffe, “Elastic warping of graphitic carbon sheets: relative energies of some fullerenes, schwarzites and buckytubes”, **Phil. Trans. R. Soc. Lond. A**, 354, 1999-2008, (1996).
- M. O’Keeffe and S.T. Hyde, “The asymptotic behaviour of coordination sequences for the 4-connected nets of zeolites and related structures”, **Z. Kristallogr.**, 211, 73-78, (1996).

- J. Engblom and S.T. Hyde, "*On the swelling of bicontinuous lyotropic mesophases*", **J. Phys. II (France)**, 5, 171-190, (1995).
- S.T. Hyde, "On swelling and structure of composite materials. Some theory and applications to lyotropic mesophases", **Colloids Surf. A**, 103, 227-247, (1995).
- S.T. Hyde, "The density of three-dimensional nets", **Acta Cryst.**, A50, 753-759, (1994).
- H. Hasegawa, Y. Nishikawa, S. Koizumi, T. Hashimoto and S.T. Hyde, "Some new aspects on the microdomain structures in block copolymer systems", Advanced Materials '93, II/A: Biomaterials, Organic and Intelligent Materials, **Trans. Mat. Res. Soc. Jpn.**, 15A, 225-230, (1994).
- Z. Blum and S.T. Hyde, "Solid state structures and liquid crystals as ordering matrices for proteins", **Acta Chem. Scand.**, 48, 88-90 (1994).
- S.T. Hyde, A. Fogden and B.W. Ninham, "Self-assembly of linear block copolymers. Relative stability of hyperbolic phases", **Macromolecules**, 26, 6782-6788, (1993).
- S.T. Hyde, "Crystalline frameworks as hyperbolic films", in **Defects and processes in the solid state. Some examples in earth sciences.**, J.N. Boland, J. D. FitzGerald, Editors, Elsevier: Amsterdam, (1993).
- S.T. Hyde, "Hyperbolic and elliptic layer warping in some sheet alumino-silicates", **Phys. Chem. Minerals**, 20, 190-200, (1993).
- S.T. Hyde, Z. Blum, and B.W. Ninham, "The density of silicon-rich zeolite frameworks", **Acta Cryst.**, A49, 586-589, (1993).
- Z. Blum, S.T. Hyde, and B.W. Ninham, "Adsorption in zeolites, dispersion self-energy and Gaussian curvature", **J. Phys. Chem.**, 97, 661-665, (1993).

- T. Hashimoto, S. Koizumi, H. Hasegawa, T. Izumitani, S.T. Hyde, "Observation of "mesh" and "strut" structures in block copolymer-homopolymer mixtures", **Macromolecules**, 25, 1433-1439, (1992).
- A. Fogden and S.T. Hyde, "Parametrisation of triply periodic minimal surfaces. 2. Regular class solutions", **Acta Cryst.**, A48, 575-591, (1992).
- A. Fogden and S.T. Hyde, "Parametrisation of triply periodic minimal surfaces. 1. Mathematical basis of the construction algorithm for the regular class", **Acta Cryst.**, A48, 442-451, (1992).
- S.T. Hyde, "Interfacial architecture in surfactant-water mixtures: Beyond spheres, cylinders and planes", **Pure & Appl. Chem.**, 64(11), 1617-1622, (1992).
- A. Fogden, S.T. Hyde, and G. Lundberg, "Bending energy of surfactant films", **J. Chem. Soc. Faraday Trans.**, 87(7), 949-955, (1991).
- S.T. Hyde, "Hyperbolic surfaces in the solid-state and the structure of ZSM-5 zeolites", **Acta Chem. Scand.**, 45, 860-863, (1991).
- I.S. Barnes, S.T. Hyde, and B.W. Ninham, "The cesium chloride zero potential surface is not the Schwarz P-surface", **J. Phys. (France)**, 51 (Colloque C-7, supplément au no. 23), 19-24 (1990).
- P. Barois, D. Eidam, and S.T. Hyde, "X-ray study of cubic phases in ternary systems of surfactant DDAB, water and oil", **J. Phys. (France)**, 51 (Colloque C-7, supplément au no. 23), 25-34, (1990).
- I.S. Barnes, P.-J. Dérian, S.T. Hyde, B.W. Ninham and T.N. Zemb, "A disordered lamellar structure in the isotropic phase of a ternary double-chain surfactant system", **J. Phys. (France)**, 51, 2605-2628, (1990)

- S.T. Hyde, "Curvature and the global structure of interfaces in surfactant-water systems", **J. Phys. (France)**, 51(Colloque C-7, supplément au no. 23), 209-228, (1990).
- S.T. Hyde and Z. Blum, "On the Templating of Curvature in Zeolites", **Chem. Mater.**, 2, 312-314, (1990).
- P. Barois, S.T. Hyde, B.W. Ninham and T. Dowling, "Observation of two phases within the cubic phase region of a ternary surfactant solution", **Langmuir**, 6, 1136-1140, (1989).
- S. Lidin, S.T. Hyde and B.W. Ninham, "Exact construction of periodic minimal surfaces: I-WP surface and its isometries", **J. Phys. (France)**, 51, 801-813, (1989).
- S.T. Hyde, "On the variation of microstructure within surfactant solutions", **Progr. Colloid Polym. Sci.**, 82, 236-242, (1989).
- E.Z. Radlinska, S.T. Hyde and B.W. Ninham, "Specific heat is a useful indicator of microstructural variation in surfactant solutions", **Langmuir**, 5, 1427-1430, (1989).
- S.T. Hyde, I.S. Barnes and B.W. Ninham, "Curvature energy of surfactant interfaces confined to the plaquettes of a cubic lattice", **Langmuir**, 6, 1055-1062, (1989).
- I.S. Barnes, S.T. Hyde, B.W. Ninham, P.-J. Dérian, M. Drifford, G.C. Warr and T.N. Zemb, "The disordered open connected model of microemulsions", **Progr. Colloid Polym. Sci.**, 76, 1-6, (1988).
- S.T. Hyde and Z. Blum, "The Bonnet transformation in organic chemistry. Conformational changes in hydrocarbons", **J. Chem. Res. (S)**, 6, 174-175, (1989).
- S.T. Hyde, B.W. Ninham and T.N. Zemb, "Phase boundaries for ternary microemulsions. Predictions of a geometric model", **J. Phys. Chem.**, 93, 1464-1471 (1989).

- S.T. Hyde, "The microstructure of bicontinuous surfactant aggregates", **J. Phys. Chem.**, 93, 1458-1464, (1989).

- S.T. Hyde, "The topology and geometry of infinite periodic surfaces", **Z. Kristallogr.**, 187, 165-186, (1989).

- S.T. Hyde, "Minimal surfaces and fast ion conductors", **Phil. Mag. (B)**, 57, 691-702, (1988). I.S. Barnes, S.T. Hyde, B.W. Ninham, P.-J. Dérian, M. Drifford and T.N. Zemb, "Small-angle X-ray scattering from ternary microemulsions determines microstructure", **J. Phys. Chem.**, 92, 2286-2293, (1988).

- S. Andersson, S.T. Hyde, K. Larsson and S. Lidin, "Minimal surfaces and structures from inorganic and metal crystals to cell membranes and biopolymers", **Chem. Rev.**, 88, 221-242, (1988).

- T.N. Zemb, S.T. Hyde, P.-J. Dérian, I.S. Barnes and B.W. Ninham, "Microstructure from X-ray scattering: the disordered open connected model of microemulsions", **J. Phys. Chem.**, 91, 3814, (1987).

- B.W. Ninham, I.S. Barnes, S.T. Hyde, P.-J. Dérian and T.N. Zemb, "Random connected cylinders: a new structure in three-component microemulsions", **Europhys. Lett.**, 4, 561-568, (1987). S. Lidin and S.T. Hyde, "A construction algorithm for minimal surfaces", **J. Phys. (France)**, 48, 1585-1590, (1987). S.T. Hyde, "A topological characterisation of chemical structures", **Z. Kristallogr.**, 179, 53-65, (1987).

- A.C. Eliasson, K. Larsson, S. Andersson, S.T. Hyde, R. Nesper and H.-G. von Schnering, "On the structure of native starch - an analogue of the quartz structure", **Starch/Stärke**, 39, 147-152, (1987).

- S.T. Hyde and S. Andersson, "Minimal surface description of crystal structures", **Proceedings of the Centre for Mathematical Analysis, Australian National University**, (Conference on Geometry and Partial Differential Equations), 10, 89-98, (1985). S.T. Hyde and S. Andersson, "The martensite transition and differential geometry", **Z. Kristallogr.**, 174, 225-236, (1986).
- S.T. Hyde, S. Andersson and K. Larsson, "Differential geometry of a model membrane consisting of a lipid bilayer with a regular array of protein units" **Z. Kristallogr.**, 174, 237-245, (1986).
- S. Andersson, S.T. Hyde and J.-O. Bovin, "On the periodic minimal surfaces and the conductivity mechanism of α -AgI", **Z. Kristallogr.**, 173, 97-99, (1985).
- S.T. Hyde and S. Andersson, "Differential geometry of crystal structure descriptions, relationships and phase transformations", **Z. Kristallogr.**, 170, 225-239, (1985).
- S.T. Hyde and S. Andersson, "A systematic net description of saddle polyhedra and periodic minimal surfaces", **Z. Kristallogr.**, 168, 221-254, (1984).
- S.T. Hyde, S. Andersson, B. Ericsson and K. Larsson, "A cubic structure consisting of a lipid bilayer forming an infinite periodic minimal surface of the gyroid type in the glycerolmonooleate water system", **Z. Kristallogr.**, 168, 213-219, (1984).
- S. Andersson, S.T. Hyde and H.-G. von Schnering, "The intrinsic curvature of solids", **Z. Kristallogr.**, 168, 1-17, (1984).
- A.C. McLaren, R.F. Cook, S.T. Hyde and R.C. Tobin, "The mechanisms of the formation and growth of water bubbles and associated dislocation loops in synthetic quartz", **Phys. Chem. Minerals**, 9, 79-94, (1983).
- A.C. McLaren, R.F. Cook, S.T. Hyde and R.C. Tobin, "Water bubble formation in synthetic quartz", **J. Microsc. Spectrosc. Electron.**, 7, 397-403, (1982).